




## NTN BEARUNG DRIVESHAFT, INC.



20 mm x 37 mm x 25 mm INA NKIB5904  
complex bearings

Bearing No. NKIB5904

NKIB5904 Bearing 2D drawings and 3D CAD models

Size	20x37x25 mm
Bore Diameter	20 mm
Outer Diameter	37 mm
Width	25 mm
d	20 mm
D	37 mm
B	25 mm
C	23 mm
F	25 mm
$r_{\min}$	0,3 mm
m	107 g / Weight
$C_r$	23700 N / Dynamic load rating (radial)
$C_{0r}$	25500 N / Static load rating (radial)
$C_a$	4900 N / Dynamic load rating (axial)
$C_{0a}$	7400 N / Static load rating (axial)
$C_{ur}$	4600 N / Fatigue limit load, radial
$C_{ua}$	330 N / Fatigue limit load, axial
$n_G$	17200 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0



## NTN BEARUNG DRIVESHAFT,INC.

Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.11
EAN	4012802059724
Product Group	B00234
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Double Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Long Description	20MM Bore 1; 20MM Bore 2; 37MM Outside Diameter; 25MM Height; Combination - Needle Roller and Thrust Ball Bearing; Double Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	NKIB5904
Weight / LBS	0.236
Height	0.984 Inch   25 Millimeter
Outside Diameter	1.457 Inch   37 Millimeter



## NTN BEARUNG DRIVESHAFT,INC.

Bore 1	0.787 Inch   20 Millimeter
Bore 2	0.787 Inch   20 Millimeter
Overall Height with Aligning Washer	0 Inch   0 Millimeter